




Strictly Confidential: (For Internal and Restricted use only)
Secondary School Examination-2020
Marking Scheme – SCIENCE
(SUBJECT CODE: 086) (PAPER CODE : 31/1/3)

General Instructions: -



1. You are aware that evaluation is the most important process in the actual and correct assessment of the candidates. A small mistake in evaluation may lead to serious problems which may affect the future of the candidates, education system and teaching profession. To avoid mistakes, it is requested that before starting evaluation, you must read and understand the spot evaluation guidelines carefully. **Evaluation is a 10-12 days mission for all of us. Hence, it is necessary that you put in your best efforts in this process.**
2. Evaluation is to be done as per instructions provided in the Marking Scheme. It should not be done according to one's own interpretation or any other consideration. Marking Scheme should be strictly adhered to and religiously followed. **However, while evaluating, answers which are based on latest information or knowledge and/or are innovative, they may be assessed for their correctness otherwise and marks be awarded to them. In class-X, while evaluating two competency based questions, please try to understand given answer and even if reply is not from marking scheme but correct competency is enumerated by the candidate, marks should be awarded.**
3. The Head-Examiner must go through the first five answer books evaluated by each evaluator on the first day, to ensure that evaluation has been carried out as per the instructions given in the Marking Scheme. The remaining answer books meant for evaluation shall be given only after ensuring that there is no significant variation in the marking of individual evaluators.
4. Evaluators will mark(\checkmark) wherever answer is correct. For wrong answer 'X' be marked. Evaluators will not put right kind of mark while evaluating which gives an impression that answer is correct and no marks are awarded. **This is most common mistake which evaluators are committing.**
5. If a question has parts, please award marks on the right-hand side for each part. Marks awarded for different parts of the question should then be totaled up and written in the left-hand margin and encircled. This may be followed strictly.
6. If a question does not have any parts, marks must be awarded in the left-hand margin and encircled. This may also be followed strictly.
7. If a student has attempted an extra question, answer of the question deserving more marks should be retained and the other answer scored out.
8. No marks to be deducted for the cumulative effect of an error. It should be penalized only once.
9. A full scale of marks **0-80** has to be used. Please do not hesitate to award full marks if the answer deserves it.
10. Every examiner has to necessarily do evaluation work for full working hours i.e. 8 hours every day and evaluate 20 answer books per day in main subjects and 25 answer books per day in other subjects (Details are given in Spot Guidelines).
11. Ensure that you do not make the following common types of errors committed by the Examiner in the past:-
 - Leaving answer or part thereof unassessed in an answer book.
 - Giving more marks for an answer than assigned to it.
 - Wrong totaling of marks awarded on a reply.

- Wrong transfer of marks from the inside pages of the answer book to the title page.
 - Wrong question wise totaling on the title page.
 - Wrong totaling of marks of the two columns on the title page.
 - Wrong grand total.
 - Marks in words and figures not tallying.
 - Wrong transfer of marks from the answer book to online award list.
 - Answers marked as correct, but marks not awarded. (Ensure that the right tick mark is correctly and clearly indicated. It should merely be a line. Same is with the X for incorrect answer.)
 - Half or a part of answer marked correct and the rest as wrong, but no marks awarded.
12. While evaluating the answer books if the answer is found to be totally incorrect, it should be marked as cross (X) and awarded zero (0)Marks.
13. Any unassessed portion, non-carrying over of marks to the title page, or totaling error detected by the candidate shall damage the prestige of all the personnel engaged in the evaluation work as also of the Board. Hence, in order to uphold the prestige of all concerned, it is again reiterated that the instructions be followed meticulously and judiciously.
14. The Examiners should acquaint themselves with the guidelines given in the Guidelines for spot Evaluation before starting the actual evaluation.
15. Every Examiner shall also ensure that all the answers are evaluated, marks carried over to the title page, correctly totaled and written in figures and words.
16. The Board permits candidates to obtain photocopy of the Answer Book on request in an RTI application and also separately as a part of the re-evaluation process on payment of the processing charges.


MARKING SCHEME – CLASS X SCIENCE (2019-20)			
QUESTION PAPER CODE: SET 31/1/3			
S.NO	VALUE POINTS/EXPECTED ANSWER	MARKS	TOTAL MARKS
SECTION A			
1	Cyclopentene / Cyclohexene-formula or structure (or any other). If candidate writes Benzene give full mark	1	1
2	In case of AC – Electric power can be transmitted over long distances without much loss of energy.	1	1
3	a) Thick hair growth in armpits, genital area/thinner hair on arms, legs, face/ more active oil secretion from glands on skin/Occurrence of pimples (any two) b) Imbalance in male – female ratio/ decline in child sex ratio c) Oral pills d) Rate of birth and death	$\frac{1}{2} + \frac{1}{2}$ 1 1 1	4
4	a) Human beings are at the top level in any food chain b) Washing of vegetables, fruits, grains thoroughly/Organic farming/ Use of Bio pesticides (any one) c) (b) / Trophic level d) (a) / Consumer	1 1 1 1	4
5	(d) / Afforestation	1	1
6	(b) / (A) and (D)	1	1
7	(d) / (A) (B) and (D)	1	1
8	(a) / (A) and (C)	1	1
9	(c) / (A) and (B)	1	1
10	(d) / Increases heavily OR (d) / 1A	1	1
11	(d) / (A) and (B) OR (d) / Double displacement reaction	1	1
12	(d) / (B), (C) and (D)	1	1
13	(b) / Both (A) and (R) are true but (R) is not the correct explanation of the assertion (A).	1	1
14	(c) / A is true but R is false	1	1
SECTION B			
15	i) $H = I^2 R t$ ii) $H = V.I.t$ $= V.Q$ Given : $V = 40$ volts , $Q = 96000$ C $H = 40$ V \times 96000 C $= 3.84 \times 10^6$ J	1 $\frac{1}{2}$ 1 $\frac{1}{2}$	3

16	 <p style="text-align: right;">Diagram Labelling</p>	1 $\frac{1}{2} \times 4$	3
17	<ul style="list-style-type: none"> (i) Ethanol-$C_2H_5OH/CH_3CH_2OH/$  <ul style="list-style-type: none"> (ii) Ethanoic Acid – $CH_3COOH/$  <p>b) As oxygen is added to ethanol Oxidizing agent – Alkaline $KMnO_4$ or Acidified $K_2Cr_2O_7$</p>	1 1 $\frac{1}{2}$ $\frac{1}{2}$	3
18	<p>a – receptor/ skin b – sensory neuron c - spinal cord d – relay neuron e – motor neuron</p> <ul style="list-style-type: none"> Reflex Arc <p style="text-align: center;">Or</p> <p>a) Directional movements of the plant part towards or away from the stimulus.</p> <p>b) When the tip of the tendril comes in contact with the support, more auxin is diffused from the tip towards the side of the tendril away from the support. As a result, that side grows faster and causes the tendril to bend around the support</p>	$\frac{1}{2} \times 6$ 1 2	3

19	<p>Because of scattering of light.</p> <p>Instances:</p> <ul style="list-style-type: none"> • When a fine beam of light enters a smoke-filled dark room through a small hole. • When sunlight passes through a canopy of dense forest in foggy/ misty conditions. • Blue colour of sky. • Red colour of the sun during sunrise or sunset. <p style="text-align: right;">(or any other)</p> <p style="text-align: center;">OR</p> <ul style="list-style-type: none"> • Prism has 2 inclined refracting surfaces whereas a glass slab has parallel refracting surfaces. <p>i) When monochromatic light passes through a glass slab it gets displaced laterally whereas in a prism it gets angularly displaced.</p> <p>ii) When white light passes through a glass slab, it gets laterally displaced whereas in a prism, dispersion takes place.</p>	<p>1</p> <p>$\frac{1}{2} \times 4$</p> <p>1</p> <p>$\frac{1}{2}$</p> <p>$\frac{1}{2}$</p> <p>$\frac{1}{2}$</p> <p>$\frac{1}{2}$</p>	<p>3</p>				
20	<ul style="list-style-type: none"> • Pollination is transfer of pollen from anther to stigma <table border="1" data-bbox="296 981 1217 1093" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 50%; text-align: center;">Self Pollination</th> <th style="width: 50%; text-align: center;">Cross Pollination</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">Transfer of pollen in the same flower</td> <td style="text-align: center;">Transfer of pollen from one flower to another.</td> </tr> </tbody> </table> <ul style="list-style-type: none"> • Pollination leads to fertilization resulting in the formation of zygote. 	Self Pollination	Cross Pollination	Transfer of pollen in the same flower	Transfer of pollen from one flower to another.	<p>1</p> <p>1</p> <p>1</p>	<p>3</p>
Self Pollination	Cross Pollination						
Transfer of pollen in the same flower	Transfer of pollen from one flower to another.						
21	<p>Products: Hydrogen, Chlorine , Sodium hydroxide</p> <p>Uses:</p> <p>Hydrogen: In the production of margarine/ ammonia/as a fuel</p> <p>Chlorine: Water treatment/ swimming pools/ production of PVC/ Disinfectants/CFCs/Pesticides.</p> <p>Sodium hydroxide: For degreasing metal surfaces/ in making soaps and detergents/ paper making/ artificial fibres.</p> <p style="text-align: right;">(any one use of these or any other)</p> <p style="text-align: center;">OR</p> <ul style="list-style-type: none"> • Recrystallisation of sodium carbonate • $\text{Na}_2\text{CO}_3 + 10\text{H}_2\text{O} \longrightarrow \text{Na}_2\text{CO}_3 \cdot 10\text{H}_2\text{O}$ • Basic Salt • Permanent hardness 	<p>$1\frac{1}{2}$</p> <p>$\frac{1}{2} \times 3$</p> <p>1</p> <p>1</p> <p>$\frac{1}{2}$</p> <p>$\frac{1}{2}$</p>	<p>3</p>				
22	<ul style="list-style-type: none"> • A black colour is formed on the surface $2\text{Cu} + \text{O}_2 \xrightarrow{\text{Heat}} 2\text{CuO}$ <p style="text-align: center;">Brown Copper Oxide; Black Colour</p> <ul style="list-style-type: none"> • Original/brown colour is restored. 	<p>$\frac{1}{2}$</p> <p>$\frac{1}{2}$</p> <p>$\frac{1}{2}$</p> <p>$\frac{1}{2}$</p>					



iii)



In case (i) sign is positive and $m > 1$

(ii) sign is positive and $m < 1$

OR

Given $h = +4.0$ cm, $u = -25.0$ cm, $f = -15.0$ cm

i) image distance $v = ?$; mirror formula: $\frac{1}{v} + \frac{1}{u} = \frac{1}{f}$

$$\begin{aligned} \text{or } \frac{1}{v} &= \frac{1}{f} - \frac{1}{u}; = -\frac{1}{15} - \left(-\frac{1}{25}\right) \\ &= \frac{1}{15} + \frac{1}{25} = \frac{-5+3}{75} \\ &= \frac{-2}{75} \end{aligned}$$

$$v = -37.5 \text{ cm}$$

The screen should be placed 37.5 cm in front of the mirror.

ii) $m = \frac{h^1}{h} = -\frac{v}{u}$

$$: h^1 = -\frac{v}{u} \cdot h$$

$$= -\frac{(-37.5 \times 4)}{-25}$$

$h^1 = -6.0$ cm (size of the image).

iii)

1

1

$\frac{1}{2} + \frac{1}{2}$

$\frac{1}{2} + \frac{1}{2}$

$\frac{1}{2}$

$\frac{1}{2}$



1


$\frac{1}{2}$


$\frac{1}{2}$

$\frac{1}{2}$

$\frac{1}{2}$

	 <p>[Note: Deduct half mark for not showing arrows in ray diagrams.]</p>	1	5									
26	<p>a) Law of dominance of traits: -In a cross between a pair of contrasting characters, only one parental character will be expressed in F₁ generation which is called dominant trait and the other is called recessive trait. For example – in pea plants,</p> <table style="margin-left: auto; margin-right: auto;"> <tr> <td></td> <td style="text-align: center;">Tall</td> <td style="text-align: center;">Dwarf /Short</td> </tr> <tr> <td style="text-align: center;">Parents</td> <td style="text-align: center;">TT</td> <td style="text-align: center;">tt</td> </tr> <tr> <td style="text-align: center;">Gametes</td> <td></td> <td></td> </tr> </table> <div style="text-align: center; margin: 10px 0;">  </div> <p style="text-align: center;">F₁ All Tall</p> <p>All plants in F₁ generation were tall proving that the gene for tallness is dominant over the gene for dwarfness/ short, which is not able to express itself in the presence of dominant trait. (any other example)</p> <p>b) Traits acquired by an organism during its lifetime are known as acquired traits. These traits are not inherited because they occur in somatic cells only/do not cause any change in the DNA of the germ cells.</p>		Tall	Dwarf /Short	Parents	TT	tt	Gametes			1 1/2 1/2 1 1 1	5
	Tall	Dwarf /Short										
Parents	TT	tt										
Gametes												
27	<p>a) Oxygen</p> <ul style="list-style-type: none"> • Released by splitting of water molecules <p>b)</p> <ul style="list-style-type: none"> • Tiny pores present on the surface of leaves. • Opening and closing of stomata is a function of guard cells • Guard cells swell up, when water flows into them, causing the stomatal pore to open. If the guard cells shrink the pore closes. 	1 1 1 1 1/2 + 1/2										

	<p style="text-align: center;">OR</p> <p>a)</p>  <p style="text-align: right;">Diagram Labeling</p> <p>b)</p> <ul style="list-style-type: none"> • Digestion of food is completed in small intestine only. • Finger like projections (villi) in the wall of small intestine provides large surface area for maximum absorption. • Villi of small intestine are richly supplied with blood vessels for carrying absorbed food to different parts of the body. <p style="text-align: right;">(any two)</p>	<p style="text-align: center;">1 4 × ½</p> <p style="text-align: center;">1 + 1</p>	5
28	<ul style="list-style-type: none"> • These metals have more affinity for oxygen than carbon. • Towards the top of the reactivity series. • By electrolytic reduction of their molten ores. • Example: Extraction of sodium from molten sodium chloride by electrolysis. Process: • Molten NaCl is taken in an electrolytic cell and on passing electricity Na is deposited at cathode and chlorine is liberated at anode. Reactions – At cathode - $\text{Na}^+ + e^- \rightarrow \text{Na}$ At anode - $2\text{Cl}^- \rightarrow \text{Cl}_2 + 2e^-$ <p style="text-align: right;">(or any other example)</p>	<p style="text-align: center;">1 1 1</p> <p style="text-align: center;">1</p> <p style="text-align: center;">½ ½</p>	5
29	<p>i) E, it has 4 valence electrons .</p> <p>ii) B, it needs only 2 electrons to attain stable configuration.</p> <p>iii) D , it loses two electrons to attain stable configuration .</p> <p>iv) F, it has the largest size since size increases down the group.</p>	<p style="text-align: center;">½ + ½ ½ + ½ ½ + ½ ½ + ½</p>	

	<p>v) Noble gases, outermost shell is complete. OR</p> <ul style="list-style-type: none"> • Atomic size is the distance between the centre of the nucleus and the outermost shell of an isolated atom . • Picometer/pm • Trends in Atomic radius In a group: increases down the group ; due to addition of a new shells . In a period: atomic radius decreases from left to right ; due to increase in pulling power of nucleus or due to addition of electrons in the same shell 	<p>$\frac{1}{2} + \frac{1}{2}$ 1 1 $\frac{1}{2}$ 1 $\frac{1}{2}$ 1</p>	<p>5</p>
<p>30</p>	<p>a)</p>  <p>At Every point of a current carrying circular loop, the concentric circles represent magnetic field around it which become larger as we move away from the wire. At the center of the loop, these lines appear as straight lines.</p> <p>b) Magnetic field produced by a current carrying wire at a given pint depends directly on the current passing through it. So if there is a circular coil having 'n' turns, the field produced is n times as large as that produced by a single turn. This is because the current in each circular turn has the same direction and the field due to each turn just adds up.</p>	<p>1 1 1 2</p>	<p>5</p>